

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	57	(thickness with (determine determining)).clm. and (mesh grid mapping surface).clm. and (CAD CAE "computer aided design" "computer aided engineering" (((finite adj2 element) "finite element" finite\$1element) adj2 (analysis model\$4)) FEA FEM NASTRAN SYSNOISE ABAQUS).CLM.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 19:51
L2	72	((determine determining) adj4 thickness) and (mesh grid mapping surface).clm. and (CAD CAE "computer aided design" "computer aided engineering" (((finite adj2 element) "finite element" finite\$1element) adj2 (analysis model\$4)) FEA FEM NASTRAN SYSNOISE ABAQUS).CLM.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 19:51
L3	110	((thickness distance) with (determine determining)).clm. and (mesh grid mapping surface).clm. and (CAD CAE "computer aided design" "computer aided engineering" (((finite adj2 element) "finite element" finite\$1element) adj2 (analysis model\$4)) FEA FEM NASTRAN SYSNOISE ABAQUS).CLM.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 19:51

L4	0	((thickness distance) with (determine determining)). clm. and (mesh grid mapping surface).clm. and (CAD CAE "computer aided design" "computer aided engineering" (((finite adj2 element) "finite element" finite\$1element) adj2 (analysis model\$4)) FEA FEM NASTRAN SYSNOISE ABAQUS).CLM. AND ((thickness distance) WITH ((depend dependance depending variable varies varying) NEAR3 (direction angle orientation course path))).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 19:52
L5	0	((thickness with (determine determining)).clm. and (mesh grid mapping surface). clm. and (CAD CAE "computer aided design" "computer aided engineering" (((finite adj2 element) "finite element" finite\$1element) adj2 (analysis model\$4)) FEA FEM NASTRAN SYSNOISE ABAQUS).CLM. AND ((thickness distance) WITH ((depend dependance depending variable varies varying) NEAR3 (direction angle orientation course path))).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 19:52
L6	18	((1 2 3) AND ((normal perpendicular ((right "90") adj2 angle)) NEAR2 (vector direction orientation course path))).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 19:52
L7	8	((1 2 3) AND ((normal perpendicular ((right "90") adj angle)) ADJ (vector direction orientation course path))).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 19:53
L8	18	6 7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 19:53

L9	32	(thickness with (determine determining)).clm. and (mesh grid mapping surface). clm. and (CAD CAE "computer aided design" "computer aided engineering" (((finite adj2 element) "finite element" finite\$1element) adj2 (analysis model\$4)) FEA FEM NASTRAN SYSNOISE ABAQUS).CLM.	US-PGPUB	OR	ON	2008/08/27 20:00
L10	39	((determine determining) adj4 thickness) and (mesh grid mapping surface).clm. and (CAD CAE "computer aided design" "computer aided engineering" (((finite adj2 element) "finite element" finite\$1element) adj2 (analysis model\$4)) FEA FEM NASTRAN SYSNOISE ABAQUS).CLM.	US-PGPUB	OR	ON	2008/08/27 20:00
L11	51	((thickness distance) with (determine determining)). clm. and (mesh grid mapping surface).clm. and (CAD CAE "computer aided design" "computer aided engineering" (((finite adj2 element) "finite element" finite\$1element) adj2 (analysis model\$4)) FEA FEM NASTRAN SYSNOISE ABAQUS).CLM.	US-PGPUB	OR	ON	2008/08/27 20:00
L12	10	((9 10 11) AND ((normal perpendicular ((right "90") adj2 angle)) NEAR2 (vector direction orientation course path)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 20:01
L13	4	((9 10 11) AND ((normal perpendicular ((right "90") adj angle)) ADJ (vector direction orientation course path)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 20:01
L14	10	12 13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 20:01

L15	10	8 14	US-PGPUB; USPAT; USOCR: FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/27 20:01
-----	----	------	---	-----	----	---------------------

8/27/2008 8:02:31 PM**C:\Documents and Settings\Jochoa\My Documents\EAST\Workspaces\10717273.wsp**